

POISON

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



OMETHOATE 290 Insecticide

ACTIVE CONSTITUENT: 290 g/L OMETHOATE
(An Anticholinesterase Compound)

GROUP 1B INSECTICIDE

For control of redlegged earth mite as a barrier spray.

**READ THIS INFORMATION THOROUGHLY BEFORE
USING THIS PRODUCT**

4 FARMERS AUSTRALIA PTY LTD

A.B.N. 51 160 092 428

1 / 70 MCDOWELL STREET, WELSHPOOL, WA 6106

TEL: (08) 9356 3445 www.4farmers.com.au

Batch Number:

Date of Manufacture:

APVMA Approval No: 62022/RV1216

RESTRAINTS

DO NOT apply with boomspray equipment unless operators are protected by enclosed cabs.

DO NOT use open mixing/loading systems for boom spray and aerial equipment.

DO NOT apply by spray equipment carried on the back of the user.

DIRECTIONS FOR USE

CROP	PEST CONTROLLED	RATE	CRITICAL COMMENTS
Barrier spraying	Redlegged earth mite (NSW, WA only)	300 mL/ha	To prevent invasion, spray bare earth outside crop as well as weeds along the fence line using an offset jet. Note: Rain will reduce the efficacy of the bare earth treatment but leave an effective barrier on the weeds.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER,
CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER
APPROPRIATE LEGISLATION**

OTHER LIMITATIONS

DO NOT USE THIS PRODUCT IN THE HOME GARDEN.

WITHHOLDING PERIODS

Not required when used according to label directions.

GENERAL INSTRUCTIONS

MIXING

Mix the required quantity of 4Farmers Omethoate in sufficient water to give even coverage. Boom sprayers and aircraft are satisfactory for spraying 4Farmers Omethoate.

COMPATIBILITY

Compatible with most commonly used herbicides. Ensure that 4Farmers Omethoate is thoroughly mixed in the spray tank before adding a herbicide. DO NOT mix concentrates together but add each to spray tank separately. As formulations of other manufacturers' products are beyond the control of 4Farmers Australia Pty Ltd, all mixtures should be tested prior to mixing commercial quantities. As changes in climatic conditions can alter the sensitivity of plants to mixtures of sprays, 4Farmers Australia Pty Ltd cannot be responsible for the behaviour of such mixtures.

INSECTICIDE RESISTANCE WARNING

GROUP 1B INSECTICIDE

For insecticide resistance management, 4Farmers Omethoate is a Group 1B insecticide. Some naturally occurring insect biotypes resistant to 4Farmers Omethoate and other Group 1B insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if 4Farmers Omethoate and other Group 1B insecticides are used repeatedly. The effectiveness of 4Farmers Omethoate on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, 4Farmers Australia Pty Ltd accepts no liability for any losses that may

result from the failure of 4Farmers Omethoate to control resistant insects. 4Farmers Omethoate may be subject to specific resistance management strategies. For further information contact your local supplier, 4Farmers Australia Pty Ltd representative or local agricultural department agronomist.

RE-ENTRY PERIODS: Barrier Spray Around Crops

DO NOT allow entry into treated areas for two days. If prior entry is required, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and gloves. Clothing must be laundered after each day's use.

PROTECTION OF LIVESTOCK

DANGEROUS TO BEES. DO NOT SPRAY ANY PLANTS IN FLOWER WHILE BEES ARE FORAGING.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight.

Triple or preferably pressure rinse container before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging below 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots in compliance with the relevant Local, State or Territory government regulations.

DO NOT burn empty containers or product.

Returnable containers: Empty fully into application equipment. Do not rinse. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS

Product and spray are poisonous if absorbed by skin contact, inhaled or swallowed. Will irritate the eyes. Repeated exposure may cause allergic disorders. Sensitive workers should use protective clothing. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with eyes and skin and clothing. DO NOT inhale spray mist.

When opening the container and preparing spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow-length chemical resistant gloves, water resistant footwear and face shield or goggles.

When using the prepared spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow-length chemical resistant gloves. If clothing becomes contaminated with product or wet with spray remove clothing immediately. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands arms and face thoroughly with soap and water. After each day's use, wash gloves and face shield or goggles and contaminated clothing.

FIRST AID

If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre (Phone Australia 13 11 26) or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which can be obtained from www.4farmers.com.au.

EXCLUSION OF LIABILITY

This product is to be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, 4Farmers Australia Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.



U.N. No. 3017	ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC, FLAMMABLE flash point not less than 23°C (contains Omethoate)	
In a Transport Emergency Dial 000 Police or Fire Brigade	PG III	HAZCHEM 3W
	Special Poisons Advice: 13 11 26	