

Strychnine Alkaloid Crystals

Active Constituent Strychnine Alkaloid 999g/kg		Formulation Crystals	
Chemical Group Poison	Mode of Action Orally ingested neurotoxin – causes over stimulation of muscles and results in asphyxia.		
Indicative Price ex GST \$100/ 25g	Typical Pack Size 25g		
Poison Schedule 7	Dangerous Goods Class 6.1	UN 1692	Packing Code I
Application Method	Sale, supply, possession and use of this product is restricted and subject to the Poisons Notice 2010 (The Director of the WA Department of Health).		Rain fastness N/A
Use	A highly toxic poison for use on wild dogs and emus as per the label requirements and recommendations.		
Situation	Target Pest/s	Comments	
Wild Dog trapping and Emu control (under damage permit only)	Wild Dogs, Emus	Refer to instructions issued by Western Australian Department of Agriculture. Strychnine alkaloid is only registered for poisoning jaws of wild dog traps and poisoning of emus in situations where a damage permit has been issued by Department of Conservation. Preparation of baits for poisoning emus can only be undertaken by authorized persons.	
Comments			
<p>CARE: S7 POISON NOT ABLE TO BE USED BY THE LANDHOLDER. ANY CONTROL METHOD MUST BE CARRIED OUT BY LOCAL ENVIRONMENTAL OFFICERS. THE SALE, SUPPLY, USE AND POSSESSION OF THIS PRODUCT IS SUBJECT TO CONDITIONS IMPOSED BY THE POISONS (SECTION 24) (REGISTERED PESTICIDE STRYCHNINE ALKALOID) NOTICE 2010 (AS AMENDED OR REPLACED) MADE BY THE COMMISSIONER OF HEALTH. All adjacent neighbours must be notified in writing at least 72 hours before use, with the details of the location and period of use included. Domestic dogs and cats should be confined in house yards while poison is in use.</p>			