

According to Safe Work Australia

Printing date 25.10.2021

Revision: 25.10.2021

1. IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product Name: FIPRONIL 500 INSECTICIDAL SEED TREATMENT

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Agricultural insecticide

Details of Manufacturer or Importer: 4Farmers Australia Pty Ltd 70 McDowell Street Welshpool WA 6106

Phone Number: +61 8 9356 3446

Emergency telephone number: National Poison Information Centre: 13 11 26

2. HAZARDS IDENTIFICATION

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).

, Qe

skull and crossbones

Acute Tox. (Oral) 3H301Toxic if swallowed.Acute Tox. (Dermal) 3H311Toxic in contact with skin.Acute Tox. (Inhalation) 3H331Toxic if inhaled.

health hazard

H372 Causes damage to organs through prolonged or repeated exposure.

STOT RE 1

Aquatic Acute 1H400Very toxic to aquatic life.Aquatic Chronic 1H410Very toxic to aquatic life with long lasting effects.

Signal Word Danger

Hazard Statements

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

- H372 Causes damage to organs through prolonged or repeated exposure.
- H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P273 Avoid release to the environment.
- P264 Wash hands thoroughly after handling.
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
- P321 Specific treatment (see on this label).

Page 1/7

According to Safe Work Australia

Printing date 25.10.2021

Product Name: FIPRONIL 500 INSECTICIDAL SEED TREATMENT

P311 Call a POISON CENTER/doctor.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P314 Get medical advice/attention if you feel unwell.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water.

P391 Collect spillage.

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:			
120068-37-3	Fipronil (ISO)	30-	
	Acute Tox. (Oral) 3, H301; Acute Tox. (Dermal) 3, H311; Acute Tox. (Inhalation) 3, H331; Image:	60%	
68551-12-2,	Alcohols, C12-16, ethoxylated+ Polyoxyethylene-polyoxypropylene glycol ether	18%	
9038-95-3	H301; Acute Tox. (Dermal) 3, H311; Eye Irritation, H319;		

4. FIRST AID MEASURES

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. Do not give mouth-to-mouth if substance has been inhaled or ingested. Instead, use a pocket mask or proper respiratory device. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap for at least 20 minutes. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a up to 200 mL of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: Toxic if inhaled. Skin Contact: Toxic in contact with skin. Ingestion: Toxic if swallowed. Symptoms include irritability, lethargy, tremors and possibly convulsions.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media:

Water spray, foam, dry chemical or carbon dioxide. Do not use straight streams of water.(water jets)

Specific Hazards Arising from the Chemical:

Page 2/7

(Contd. of page 1)

Revision: 25.10.2021

According to Safe Work Australia

Printing date 25.10.2021

Product Name: FIPRONIL 500 INSECTICIDAL SEED TREATMENT

Revision: 25.10.2021

(Contd. of page 5) (Contd. of page 2)

Hazardous combustion products include toxic fumes may be released in case of fire. Product is not flammable, but may form explosive dust clouds in some situations.

Closed containers may explode when exposed to extreme heat. Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Further information

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Incase of fire and or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and cover with a plastic sheet to prevent spreading. Sweep and shovel into drums for subsequent disposal. Avoid generating dust. Provide adequate ventilation.

7. HANDLING AND STORAGE

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat, sparks, open flames and other sources of ignition. Empty containers may contain residual dust which can form explosive mixtures in air. Do not weld, cut or drill on full or empty containers. Recommended storage temperature is 0 - 30 °C. Do not store near feed, beverages or foodstuffs. Keep away from strong acids and bases.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Where an inhalation risk exists, wear a Class P1 (particulate) respirator. At high dust levels, wear a powered air purifying respirator (PAPR) with Class P3 (Particulate) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Impervious nitrile rubber or PVC gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Page 7/7

According to Safe Work Australia

Printing date 25.10.2021

Product Name: FIPRONIL 500 INSECTICIDAL SEED TREATMENT

Eye and Face Protection:

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	
Form:	Vermicelli type material
Colour:	Light brown
Odour:	Odourless
Odour Threshold:	No information available
pH-Value:	5.5 - 7.5
Melting point/Melting range:	200 - 201 °C
Initial Boiling Point/Boiling Range:	Not determined
Flash Point:	> 100 °C
Flammability:	Product is not flammable.
Auto-ignition Temperature:	Not determined
Decomposition Temperature:	Not determined
Explosion Limits:	
Lower:	Not applicable
Upper:	Not applicable
Vapour Pressure:	Not applicable
Density:	0.4 - 0.6 g/cm ³
Vapour Density:	No information available
Evaporation Rate:	Not determined
Solubility in Water at 20 °C:	1.9 mg/L
Solubility in Solvents:	Acetone 545 g/L,
	Dichloromethane 22 g/L,
	Hexane 0.028 g/L,
	Toluene 3 g/L

(values for fipronil at 25°C)

Partition Coefficient (n-octanol/water):Not determined.Viscosity:Not applicable

10. STABILITY AND REACTIVITY

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: No further relevant information available.

Incompatible Materials: Strong acids and bases.

Hazardous Decomposition Products: May emit toxic fumes.

11. TOXICOLOGICAL INFORMATION

Toxicity:

LD ₅₀ /LC ₅₀ Values Relevant for Classification:						
Oral	EB_{50}^{50}	50 - 300 mg/kg (rat)				
Dermal		1120.60 mg/kg (rabbit)				
Inhalation		0.682 mg/L (rat)				
151-21-3	151-21-3 sodium dodecyl sulphate					
Oral	LD ₅₀	1288 mg/kg (rat)				

Revision: 25.10.2021

(Contd. of page 5)

Page 7/7

According to Safe Work Australia

Printing date 25.10.2021

Revision: 25.10.2021

Product Name: FIPRONIL 500 INSECTICIDAL SEED TREATMENT

(Contd. of page 5)

Page 7/7

Acute Health Effects

Inhalation: Toxic if inhaled.
Skin: Toxic in contact with skin.
Eye: No adverse health effects expected.
Ingestion: Toxic if swallowed. Symptoms include irritability, lethargy, tremors and possibly convulsions.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Causes damage to organs through prolonged or repeated exposure.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No information available

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information:

The Australian Acceptable Daily Intake (ADI) for fipronil for a human is 0.0002 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 0.02 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.

The Australian Acceptable Daily Intake (ADI) for sodium lauryl sulfate for a human is 1.0 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 100 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.(Ref: Comm. Dept. of Health and Ageing Office of Chemical Safety, 'ADI List', March 2016).

12. ECOLOGICAL INFORMATION

Ecotoxicity:

LD50 160 mg/kg (Japanese Quail) Highly toxic to honey bees: LD50 0.6 µg/bee Non toxic to earthworms: LC50 >1000 mg/kg

Aquatic toxicity:

Very Toxic to aquatic life with long lasting effects.

EC₅₀/48 h C₅₀/96 h 130 μg/L (daphnia)

Persistence and Degradability: No information available

Bioaccumulative Potential: No information available

Mobility in Soil: No information available Other adverse

effects: No information available

13. DISPOSAL CONSIDERATIONS

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

According to Safe Work Australia

Printing date 25.10.2021

Product Name: FIPRONIL 500 INSECTICIDAL SEED TREATMENT

(Contd. of page 5)

14. TRANSPORT INFORMATION UN Number ADG, IMDG, IATA UN2902 **Proper Shipping Name** ADG PESTICIDE, LIQUID, TOXIC, N.O.S. (ISO)), ENVIRONMENTALLY HAZARDOUS IMDG, IATA PESTICIDE, SOLID, TOXIC, N.O.S. (Fipronil (ISO)) **Dangerous Goods Class** ADG Class: 6.1 Toxic substances. Packing Group: ADG, IMDG, IATA 111 EMS Number: F-A.S-A Hazchem Code: 2X **Special Provisions:** 61, 223, 274 Limited Quantities: 5 kg P002, IBC08, LP02 Packagings & IBCs - Packing Instruction: Packagings & IBCs - Special Packing Provisions: B3 Portable Tanks & Bulk Containers - Instructions: T1 Portable Tanks & Bulk Containers - Special **Provisions:** TP33 15. REGULATORY INFORMATION

Australian Inventory of Chemical Substances:

151-21-3 sodium dodecyl sulphate

8061-51-6 Lignosulfonic acid, sodium salt

25322-68-3 Polyethylene glycol

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule: Poisons Schedule: 6

16.OTHER INFORMATION

Date of Preparation or Last Revision: 25.10.2021

Prepared by: MSDS.COM.AU Pty Ltd

Abbreviations and acronyms:

ADG: Australian Dangerous Goods IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 7)

.

Revision: 25.10.2021

www.msds.com.au

Page 7/7

According to Safe Work Australia

Printing date 25.10.2021

Revision: 25.10.2021

Product Name: FIPRONIL 500 INSECTICIDAL SEED TREATMENT

(Contd. of page 8)

Page 8/7

LC50: Lethal concentration. 50 percent CAS: Chemical Abstracts Service (division of the American Chemical Society) LD₅₀: Lethal dose, 50 percent IARC: International Agency for Research on Cancer STEL: Short Term Exposure Limit TWA: Time Weighted Average NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants) Acute Tox. (Oral) 3: Acute toxicity, Hazard Category 3 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1 Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1 Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - December 2011"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. 4Farmers Australia Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.