



SAFETY DATA SHEET

According to Safe Work Australia

Printing date 20.07.2021

Revision: 20.07.2021

1. IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product Name: 4FARMERS PROCYMIDONE 500 FUNGICIDE

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Agricultural fungicide

Details of Manufacturer or Importer:

4Farmers Australia Pty Ltd
70 McDowell Street
Welshpool WA 6106

Phone Number: +61 8 9356 3446

Emergency telephone number: National Poison Information Centre: 13 11 26

2. HAZARDS IDENTIFICATION

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



Acute Tox. (Inhalation) 4 H332 Harmful if inhaled.

Aquatic Chronic 4 H413 May cause long lasting harmful effects to aquatic life.

Signal Word Warning

Hazard Statements

H332 Harmful if inhaled.

H413 May cause long lasting harmful effects to aquatic life.

Precautionary Statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P271 Use only outdoors or in a well-ventilated area.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

32809-16-8	Procymidone	Acute Tox. (Inhalation) 4, H332; Aquatic Chronic 4, H413	50%
------------	-------------	--	-----

4. FIRST AID MEASURES

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

(Contd. on page 2)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 20.07.2021

Revision: 20.07.2021

Product Name: 4FARMERS PROCYMIDONE 500 FUNGICIDE

(Contd. of page 1)

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Rinse mouth with water and give water to drink. Do not give anything by mouth to an unconscious person. Seek medical attention if symptoms occur.

Symptoms Caused by Exposure:

Inhalation: Harmful if inhaled. May cause respiratory irritation.

Skin Contact: May cause mild skin irritation.

Eye Contact: May cause slight eye irritation.

Ingestion: May be harmful if large amounts are ingested.

5 . FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Water, foam, dry chemical or carbon dioxide.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, nitrogen and phosphorus and hydrogen chloride. Product is non-flammable.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 . ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. If spill is too large or absorbent material is not available create a dyke to stop the spill from spreading. Collect the spilled material and place into a suitable container for disposal. Wash area after spills.

7 . HANDLING AND STORAGE

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from extreme temperatures. Keep away from strong oxidising agents, strong acids and strong bases.

(Contd. on page 3)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 20.07.2021

Revision: 20.07.2021

Product Name: 4FARMERS PROCYMIDONE 500 FUNGICIDE

(Contd. of page 2)

8 . EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Respiratory protection is not required under normal use conditions.

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Suitable elbow-length gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 . PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Form:	Viscous suspension
Colour:	White
Odour:	Weak characteristic odour
Odour Threshold:	No information available
pH-Value at 23 °C:	4 - 6 (undiluted)
Melting point/Melting range:	No information available
Initial Boiling Point/Boiling Range:	<100 °C
Flash Point:	No information available
Flammability:	Product is not flammable.
Auto-ignition Temperature:	Not applicable
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	Not applicable
Upper:	Not applicable
Vapour Pressure:	No information available
Density:	No information available
Relative Density:	~1.16
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Wettable

10 . STABILITY AND REACTIVITY

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur.

(Contd. on page 4)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 20.07.2021

Revision: 20.07.2021

Product Name: 4FARMERS PROCYMIDONE 500 FUNGICIDE

(Contd. of page 3)

Chemical Stability: Stable at ambient temperature and under normal conditions of use.**Conditions to Avoid:** Extreme temperatures.**Incompatible Materials:** Strong oxidising agents, strong acids and strong bases.**Hazardous Decomposition Products:** Oxides of carbon, nitrogen and phosphorus and hydrogen chloride.

11 . TOXICOLOGICAL INFORMATION

Toxicity:**LD₅₀/LC₅₀ Values Relevant for Classification:****32809-16-8 Procymidone**

Oral	LD ₅₀	6800 mg/kg (rat) (male) 7700 mg/kg (rat) (female)
Dermal	LD ₅₀	≥2500 mg/kg (rat)
Inhalation	LC ₅₀ /4 h	>1500 mg/L (rat)

Acute Health Effects**Inhalation:** Harmful if inhaled. May cause respiratory irritation.**Skin:** May cause mild skin irritation.**Eye:** May cause slight eye irritation.**Ingestion:** May be harmful if large amounts are ingested.**Skin Corrosion / Irritation:** Based on classification principles, the classification criteria are not met.**Serious Eye Damage / Irritation:** Based on classification principles, the classification criteria are not met.**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:**

This product does NOT contain any IARC listed chemicals.

Limited evidence indicates that high levels of exposure may cause cancer.

Reproductive Toxicity:

Based on classification principles, the classification criteria are not met.

Animal studies show that this product may cause infertility and abnormalities of the male sexual organs.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** May cause damage to the reproductive system, liver and kidneys.**Existing Conditions Aggravated by Exposure:** No information available**Additional toxicological information:**

The Australian Acceptable Daily Intake (ADI) for procymidone for a human is 0.03 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 2.5 / 3.5 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Comm. Dept. of Health and Ageing Office of Chemical Safety, 'ADI List', June 2014).

(Contd. on page 5)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 20.07.2021

Revision: 20.07.2021

Product Name: 4FARMERS PROCYMIDONE 500 FUNGICIDE

(Contd. of page 4)

12 . ECOLOGICAL INFORMATION

Ecotoxicity:

Procymidone has low oral toxicity in birds. Procymidone has a low toxicity to bees and earthworms.

Aquatic toxicity:

May cause long lasting harmful effects to aquatic life. Procymidone is moderately toxic to algae, daphnia and some fish.

Persistence and Degradability: Product is biodegradable. It will not accumulate in the soil or water.

Bioaccumulative Potential:

This product has a low BCF of ~110 - 130. As such no bioconcentration is expected in birds or mammals.

Mobility in Soil: No information available

13 . DISPOSAL CONSIDERATIONS

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 . TRANSPORT INFORMATION

UN Number Not regulated

Proper Shipping Name Not regulated

Dangerous Goods Class Not regulated

Packing Group: Not regulated

15 . REGULATORY INFORMATION

Australian Inventory of Chemical Substances:

32809-16-8	Procymidone
------------	-------------

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 7

16 . OTHER INFORMATION

Date of Preparation or Last Revision: 20.07.2021

Prepared by: MSDS.COM.AU Pty Ltd

www.msds.com.au

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC₅₀: Lethal concentration, 50 percent

LD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Tox. (Inhalation) 4: Acute toxicity, Hazard Category 4

Aquatic Chronic 4: Hazardous to the aquatic environment, long-term (Chronic). Category 4

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - December 2011"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. 4Farmers Australia Pty Ltd makes no representation of the accuracy or

(Contd. on page 6)

SAFETY DATA SHEET

According to Safe Work Australia

Printing date 20.07.2021

Revision: 20.07.2021

Product Name: 4FARMERS PROCYMIDONE 500 FUNGICIDE

(Contd. of page 5)

comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.